



# 11

34506115.ST25.txt  
SEQUENCE LISTING

<110> Niles, Andrew L  
Haak-Frendscho, Mary  
Harris, Jennifer L  
Craik, Charles S

<120> Tryptase Substrates and Assay For Tryptase Activity  
Using Same

<130> 34506.115

<140> 09/955,639  
<141> 2001-09-19

<150> 60/244,013  
<151> 2000-10-27

<160> 23

<170> PatentIn version 3.1

<210> 1  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic polypeptide

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa at position 2 is Arg (R) or Lysine (K)

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa at position 3 is any amino acid

<220>  
<221> MISC\_FEATURE  
<222> (4)..(4)  
<223> Xaa at position 4 is Arg (R) or Lys (K)

<400> 1

Pro Xaa Xaa Xaa  
1

<210> 2

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<400> 2

Pro Arg Asn Lys  
1

<210> 3

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<400> 3

Pro Lys Asn Lys  
1

<210> 4

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<400> 4

Pro Arg Asn Arg  
1

<210> 5  
<211> 4  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Synthetic polypeptide  
  
<400> 5

Pro Lys Asn Arg  
1

<210> 6  
<211> 4  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Synthetic polypeptide  
  
<400> 6

Pro Ala Asn Lys  
1

<210> 7  
<211> 4  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Synthetic polypeptide  
  
<400> 7

Pro Arg Thr Lys  
1

<210> 8  
<211> 4  
<212> PRT  
<213> Artificial Sequence  
  
<220>

<223> Synthetic polypeptide

<400> 8

Pro Arg Phe Lys

1

<210> 9

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<400> 9

Thr Arg Leu Arg

1

<210> 10

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<400> 10

Ser Lys Gly Arg

1

<210> 11

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<400> 11

Pro Asn Asp Lys

1

```

<210> 12
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<220>
<221> MOD_RES
<222> (1)..(1)
<223> P at position 1 is modified to contain an N-terminal
acetyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> K at position 4 is modified to contain a C-terminal
7-amino-4-car
      bamoylmethyl-coumarin group

<400> 12

Pro Arg Asn Lys
1

<210> 13
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<220>
<221> MOD_RES
<222> (1)..(1)
<223> P at position 1 is modified to include an N-terminal
acetyl group

<400> 13

```

Pro Arg Asn Lys

1

&lt;210&gt; 14

&lt;211&gt; 4

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Synthetic polypeptide

&lt;220&gt;

&lt;221&gt; MOD\_RES

&lt;222&gt; (1)..(1)

<223> P at position 1 is modified to include an N-terminal  
acetyl group

&lt;220&gt;

&lt;221&gt; MOD\_RES

&lt;222&gt; (4)..(4)

<223> K at position 4 is modified to include a C-terminal  
chloromethyl  
ketone group

&lt;400&gt; 14

Pro Arg Asn Lys

1

&lt;210&gt; 15

&lt;211&gt; 4

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Synthetic polypeptide

&lt;220&gt;

&lt;221&gt; MOD\_RES

&lt;222&gt; (1)..(1)

<223> P at position 1 is modified to include an N-terminal  
acetyl group

<220>  
 <221> MOD\_RES  
 <222> (4)..(4)  
 <223> K at position 4 is modified to include a C-terminal  
 7-amino-4-car  
 bamoylmethyl-coumarin group

<400> 15

Pro Arg Asn Lys  
 1

<210> 16  
 <211> 4  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic polypeptide

<220>  
 <221> MOD\_RES  
 <222> (1)..(1)  
 <223> P at position 1 is modified to include an N-terminal  
 acetyl group

<220>  
 <221> MOD\_RES  
 <222> (4)..(4)  
 <223> K at position 4 is modified to include a C-terminal  
 7-amino-4-car  
 bamoylmethyl-coumarin group

<400> 16

Pro Arg Thr Lys  
 1

<210> 17  
 <211> 4  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<220>

<221> MOD\_RES

<222> (1)..(1)

<223> P at position 1 is modified to include an N-terminal acetyl group

<220>

<221> MOD\_RES

<222> (4)..(4)

<223> K at position 4 is modified to include a C-terminal 7-amino-4-carbamoylmethyl-coumarin group

<400> 17

Pro Arg Asn Arg

1

<210> 18

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<220>

<221> MOD\_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> MOD\_RES

<222> (4)..(4)

<223> N-METHYLATION

<400> 18

Pro Arg Asn Lys

1



<210> 19  
<211> 4  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Synthetic polypeptide  
  
<400> 19

Pro Arg Phe Lys  
1

<210> 20  
<211> 4  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Synthetic polypeptide  
  
<400> 20

Ile Arg Ser Lys  
1

<210> 21  
<211> 4  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Synthetic polypeptide  
  
<400> 21

Ser Lys Gly Arg  
1

<210> 22  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<400> 22

Phe Arg Thr Lys

1

<210> 23

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic polypeptide

<400> 23

Ile Lys Thr Lys

1